

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6112071".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 14:47
L3	2	"5578917".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 15:40
L4	74	dual adj delay adj line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:05
L5	0	dual adj delay adj line same QAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:06
L6	2	dual adj delay adj line same (QAM or orthogonal or quadrature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 17:58
L7	23	dual adj delay adj line and (QAM or orthogonal or quadrature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:42
L8	2	(dual near (delay adj line)) same (QAM or orthogonal or quadrature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:26
L9	2	(dual near2 (delay adj line)) same (QAM or orthogonal or quadrature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:26

L10	3	(dual near3 (delay adj line)) same (QAM or orthogonal or quadrature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:27
L11	5	(dual near4 (delay adj line)) same (QAM or orthogonal or quadrature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:28
L12	24	(dual near (delay adj line)) and (QAM or orthogonal or quadrature or QPSK)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:28
L13	1611	(delay adj line) same (QAM or orthogonal or quadrature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:46
L14	1023	(delay adj line) same (QAM or orthogonal or quadrature) same phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:46
L15	191	(delay adj line) same (QAM or orthogonal or quadrature) same phase same error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:50
L16	76	(delay adj line) same (QAM or orthogonal or quadrature) same (phase near error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 17:37
L18	1	(dual adj delay adj line) same (phase near error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:59

L19	6	(dual adj delay adj line) and (phase near error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:11
L20	23	"3800228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 17:08
L21	4	"3800228".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 17:32
L22	2	"5306971".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 17:52
L24	0	(gilber adj cell) same (QAM or orthogonal or quadrature) same (phase near error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 17:41
L25	0	(gilber adj cell) and (QAM or orthogonal or quadrature) and (phase near error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 17:42
L26	1	(gilber adj cell) and (QAM or orthogonal or quadrature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 17:43
L27	1	(gilber near cell) and (QAM or orthogonal or quadrature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 17:44

L28	16	(local adj oscillator) and (dual adj delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 17:45
L29	2	"5306971".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 17:53
L30	4	(dual adj delay) same (QAM or orthogonal or quadrature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:01
L31	2	"5841325".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:09
L32	20	DLL with QAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:09
L33	13	("3748572" "4574244" "5122879" "5306971" "5734683" "5761615" "6198347").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:15
L34	14	("3800228" "4492960" "4652775" "5743683" "5835850" "6317589").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:16
L38	34	("3390343" "4492960" "4776039" "5111162" "5210484" "5303417" "5410277" "5412351" "5448110" "5465415" "5479458").PN. OR ("5761615").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 18:48
L39	637	Johnson adj counter	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 18:48

L40	38	Johnson adj counter and delay adj line	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 18:48
L41	3	Johnson adj counter with delay adj line	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 19:04
L42	1	Johnson adj counter with (delay with dual)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 19:05
L43	1	Johnson adj counter same (delay with dual)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 19:05
L44	29	Johnson adj counter same (delay with line)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 19:05
L45	0	(dual adj delay adj line) with (flip with flop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:12
L46	3	(dual adj delay adj line) and Johnson	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:12
L47	3	395/316	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:57
L48	3046	375/316	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:57
L49	1374	375/324	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:57
L50	1133	375/362	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:57

L51	0	4 AND 48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:58
L52	1	4 AND 4\9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:58
L53	1	4 AND 49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:59
L54	1	4 AND 50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:58

Google™ [Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 9 of 9 for **"dual delay" QAM**. (0.26 seconds)

Tip: Try removing quotes from your search to get more results.

[\[PDF\] The Highest Frequency Bandwidth in the world TS-81000/80600 lwatsu ...](#)

File Format: PDF/Adobe Acrobat

... Digital Oscilloscope **QAM** Signal for communication modem -- High display refresh rate -- ... Sharp traces and High resolution color display **Dual delay** function ...

terasystem.co.kr/technote/main.cgi?down_num=1077522020& board=DownData&command=down_load&d=&am... -

Supplemental Result - [Similar pages](#)

[Electronic Test Equipment Model Numbers](#)

HP 8594Q **QAM** analyzer HP 8595A spectrum analyzer 9kHz-6.5GHz ... Tektronix DL11

dual delay line 47.5ns w/trigger pickoffs tr=70ps - photo ...

www.slack.com/temodel.html - 488k - [Cached](#) - [Similar pages](#)

[\[PDF\] www-vlsi.stanford.edu/papers/vs_thesis.pdf](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)

[The following company has been identified as a supplier of the ...](#)

... 2000 CIRCUIT CARD **DUAL DELAY** EQUALIZER LOW SPEED INTFC 1603SM POWER UNIT ...

CONNECTOR PANEL ESS#5 OPT CONN MDR **QAM** DEMR 11GHZ MOD RC28D HS TRM TRUNK ...

www.telexpressinc.com/part/descrip2.txt - 170k - [Cached](#) - [Similar pages](#)

[\[PDF\] Love-wave biosensors using cross-linked polymer waveguides on LiTa ...](#)

File Format: PDF/Adobe Acrobat

dimensional signalling systems, such as **QAM**, in impulse noise ... A **dual delay** line configura- tion is used with a metallised delay path to eliminate ...

ieeexplore.ieee.org/iel5/ 2220/18867/00871185.pdf?arnumber=871185 - [Similar pages](#)

[\[PDF\] 140.98.193.112/iel3/4/14037/00643669.pdf?isnumber=...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)

[\[PDF\] 140.98.193.112/iel3/4/14037/00643669.pdf?isnumber=...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)

[Download Zone II at Hometown Outsourcing and Business Process ...](#)

A Multilevel **QAM** Demodulator VLSI with Wideband Carrier Recovery and Dual ...

A Semidigital **Dual Delay**-Locked Loop · A Low-Power Microprocessor Based on ...

hwswworld.com/download.php - 903k - [Cached](#) - [Similar pages](#)

[\[PDF\] causalproductions.com/PASTCONF/ABSTRACTS/icassp99.pdf](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

"dual delay" QAM

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Resources](#) - [About Google](#)

©2005 Google

Web Images Groups News Froogle Local more »

Google "dual delay line" quadrature Search Advanced Search Preferences

Web

Results 1 - 8 of 8 for "**dual delay line**" quadrature. (0.34 seconds)

Tip: Try removing quotes from your search to get more results.

Sponsored Links

[PDF] Photonic-delay technique for phase-noise measurement of microwave ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Needless to say, the **dual-delay-line** system is cumbersome, complicated, and difficult to use. ... a few degrees off the perfect **quadrature**, where the re- ... [horology.jpl.nasa.gov/quantum/pub/rubiola2005josab-homodyne.pdf](#) - [Similar pages](#)

High Speed Delay Line

We offer the ultra-fast & compact **delay line** in the market today
www.elmectech.com

Delay Lines

Manufacturers of **Delay Lines**. Stock & custom parts for all applications
<http://www.pca.com>

Precision Audio Services - Used and Refurbished Electronic Test ...

to 150VAC, inphase & **quadrature** outputs, excellent. ... TEK 7M11 50-ohm **Dual Delay Line** \$ 95 TEK 7M13 Readout Unit, programs on-screen readout for crt pics ...

www.users.qwest.net/~jbau/tstequip.htm - 115k - [Cached](#) - [Similar pages](#)

Precision Audio Services - Used and Refurbished Electronic Test ...

to 150VAC, inphase & **quadrature** outputs, excellent. ... TEK 7M11 50-ohm **Dual Delay Line** \$ 95 TEK 7M13 Readout Unit, programs on-screen readout for crt pics ...

www.users.uswest.net/~jbau/tstequip.htm - 115k - [Cached](#) - [Similar pages](#)

Electronic Test Equipment Model Numbers

Krohn-Hite 4031 precision oscillator 0.1Hz-100kHz w/**quadrature** output ... Tektronix DL11 **dual delay line** 47.5ns w/trigger pickoffs tr=70ps - photo ...

www.slack.com/temodel.html - 488k - [Cached](#) - [Similar pages](#)

Patent 5539412: Radar system with adaptive clutter suppression

in phase and **quadrature** information is applied to analog detector 220 to ... 9b illustrates A three-pulse **dual delay line** canceler that can be used to ...

www.freepatentsonline.com/5539412.html - 63k - Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF] Acoustic Wave Sensors

File Format: PDF/Adobe Acrobat - [View as HTML](#)

I-and-Q (in-Phase and **quadrature**) Demodulator [95, 96]. this Device consists of splitters on. both The reference and Sensor arms, a 90° Phase shifter on one ...

www.pitt.edu/~qi4/Academic/ME2082/references%5Cacoustic%20wave%20sensor.pdf - Supplemental Result - [Similar pages](#)

[PDF] 1998 Index: IEEE Transactions on Ultrasonics, Ferroelectrics, and ...

File Format: PDF/Adobe Acrobat


spatial **quadrature**; T-UFFC May 98 852-861. 1565-1572 ... Hg vap. sens., **dual delay line** SAW oscillator, Au-coated delay path. Caron. JJ, ...

ieeexplore.ieee.org/iel4/58/15922/00738298.pdf?arnumber=738298 - [Similar pages](#)

[PDF] causalproductions.com/PASTCONF/ABSTRACTS/icassp99.pdf

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

"dual delay line" quadrature

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Resources](#) - [About Google](#)

©2005 Google

Web Images Groups News Froogle Local [more »](#)

Google "dual delay" quadrature [Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 126 for "**dual delay**" **quadrature**. (0.20 seconds)

[\[PDF\] A semidigital **dual delay**-locked loop](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Abstract—This paper describes a **dual delay**-locked loop archi- ... the core loop phase offset would impact the **quadrature** phase ...

mos.stanford.edu/papers/ss_jssc_97.pdf - [Similar pages](#)

[\[PDF\] WA 17.6: A Variable-Frequency Parallel I/O Interface with Adaptive ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

[3] Sidiropoulos, S., M. Horowitz, "A Semidigital **Dual Delay**-locked Loop," ... edges, digital interpolators generate **quadrature** phased clock edges ...

mos.stanford.edu/papers/gyw_isscc_00.pdf - Sep 27, 2005 - [Similar pages](#)

[[More results from mos.stanford.edu](#)]

[Wiley::Phase-Locking in High-Performance Systems: From Devices to ...](#)

Analysis and Design of an Optimally Coupled 5-GHz **Quadrature** LC Oscillator. ...

A Semidigital **Dual Delay**-Locked Loop. A Wide-Range Delay-Locked Loop with a ...

www.wiley.com/WileyCDA/WileyTitle/productCd-0471447277,descCd-tableOfContents.html - 40k -

[Cached](#) - [Similar pages](#)

[Wiley::Phase-Locking in High-Performance Systems: From Devices to ...](#)

A 1.57-GHz Fully Integrated Very Low-Phase-Noise **Quadrature** VCO. ... A Semidigital

Dual Delay-Locked Loop. A Wide-Range Delay-Locked Loop with a Fixed ...

www.wiley.com/WileyCDA/WileyTitle/productCd-0471447277,descCd-tableOfContents.html?print=true - 18k - [Cached](#) - [Similar pages](#)

[Welcome to IEEE Xplore 2.0: A dual-loop delay-locked loop using ...](#)

A reference loop generates **quadrature** clocks, which are then delayed with ... 4,

S. Sidiropoulos and MAHorowitz, "A semidigital **dual delay**-locked loop," ...

ieeexplore.ieee.org/xpls/abs_all.jsp?arnumber=918916 - [Similar pages](#)

[\[PDF\] A Low-noise, 900-MHz VCO In 0.6-/spl mu/m CMOS - Solid-State ...](#)

File Format: PDF/Adobe Acrobat

the proposed delay cell and the **dual-delay** path technique. ... LC-oscillator with **quadrature** outputs," in ISSCC Dig. Tech. Papers, San. Francisco, CA, Feb. ...

ieeexplore.ieee.org/iel4/4/16453/00760367.pdf?arnumber=760367 - [Similar pages](#)

[[More results from ieeexplore.ieee.org](#)]

TIMERS

DUAL DELAY DELAYED OPERATE. ONE-SHOT DELAYED RELEASE. v 4.75V to 15V operation

... v Converts **Quadrature** Pulses to Up/Down Counter Controls ...

www.isicsi.com/products_files/body_products-catalog.html - 155k - [Cached](#) - [Similar pages](#)

[\[PDF\] A low-noise, 900-MHz VCO in 0.6-μm CMOS](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

VCO, with **dual-delay** path, only normal delay path, and only ... LC-oscillator

with **quadrature** outputs," in ISSCC Dig. Tech. Papers, San. Francisco, CA, Feb. ...

www.hwswworld.com/downloads/d10/0586park.pdf - [Similar pages](#)

[\[PDF\] Low-Noise Local Oscillator Design Techniques using a DLL-based ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

LC-Oscillator with **Quadrature** Outputs using Suspended Inductor ... on the weaker PMOS device, the **dual-delay** scheme is used in [50] to minimize the time ...

kabuki.eecs.berkeley.edu/~gchien/thesis/PhD/GCphdThesis.pdf - [Similar pages](#)

[PDF] [A 5.9-GHz Voltage-Controlled Ring Oscillator in 0.18- \$\mu\$ m CMOS](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

and **dual-delay** paths [5], [6]. The multiple-pass loop architecture, which is shown in Fig. ... circuit with in-phase and **quadrature**-phase outputs," in Proc. ...
[heim.ifi.uio.no/~bassen/FM-adc/refs/eken.pdf](#) - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**



Google Desktop Search



9:30 AM

Free! Instantly find your email, files, media and web history. [Download now.](#)

"dual delay" quadrature

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Resources](#) - [About Google](#)

©2005 Google

Basic Search

[Advanced Search](#) [Search Preferences](#)

"dual delay" AND QAM AND oscillator

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Searched for:: :All of the words:"**dual delay**" AND **QAM** AND **oscillator**

Found:: :**4 total** | **0 journal results** | **0 preferred web results** | **4 other web results**

Sort by:: :**relevance** | **date**

Save checked results

Email checked results

Export checked results

Refine your search
using these keywords
found in the results:

[phase noise](#)
[timing noise](#)
[transmitter](#)

Or refine using:

All of the words

Refine

- ☐ **1. [Modeling, Analysis and Design of High-Speed Links](#) [PDF-362K]**
Jan 2005
...channels (b), with thermal noise, phase noise from LC and ring **oscillator** based PLL. 42 Figure 3.3: Data rate curves...channels (b), with thermal noise, phase noise from LC and ring **oscillator** based PLL, obtained using the modified Levin
[more hits from](#) [http://mos.stanford.edu/papers/vs_thesis.pdf]
[similar results](#)
- ☐ **2. [Data Converters for High Speed CMOS Links](#) [PDF-185K]**
Oct 2001
Data Converters for High Speed CMOS Links A PhD Dissertation William F. Ellersick August 2001 Computer Systems Laboratory Departments of Electrical Engineering & Computer Science Stanford University ii Copyright © 2001 by William F.
[more hits from](#) [http://velox.stanford.edu/~bellersi/thesis.pdf]
[similar results](#)
- ☐ **3. [Data Converters for High Speed CMOS Links](#) [PDF-190K]**
Oct 2001
Data Converters for High Speed CMOS Links A PhD Dissertation William F. Ellersick August 2001 Computer Systems Laboratory Departments of Electrical Engineering & Computer Science Stanford University ii Copyright © 2001 by William F.
[http://mos.stanford.edu/papers/wfe_thesis.pdf]
[similar results](#)
- ☐ **4. [Data Converters for High Speed CMOS Links](#) [PDF-191K]**
Oct 2001
Data Converters for High Speed CMOS Links A PhD Dissertation William F. Ellersick August 2001 Computer Systems Laboratory Departments of Electrical Engineering & Computer Science Stanford University ii Copyright © 2001 by William F.
[http://velox.stanford.edu/papers/wfe_thesis.pdf]
[similar results](#)

fast :::

[Test Zone](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by [FAST](#) © Elsevier 2005

Google [Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 1 of 1 for "**Johnson counter**" "**dual delay line**". (0.53 seconds)

Tip: Try removing quotes from your search to get more results.

Sponsored Links

[\[PDF\] The design and analysis of the clock distribution network for a ...](#)

File Format: PDF/Adobe Acrobat

The **dual delay line** configuration. allows. the DLLs to exhibit. a wide dynamic range ... 8-stage **Johnson counter** reduces. the thermometer code update rate ...

ieeexplore.ieee.org/iel5/7284/19686/00912693.pdf?arnumber=912693 -

[Similar pages](#)

High Speed Delay Line

We offer the ultra-fast & compact **delay line** in the market today
www.elmectech.com

Delay Lines

Manufacturers of **Delay Lines**. Stock & custom parts for all applications
<http://www.pca.com>



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Resources](#) - [About Google](#)

©2005 Google

Google [Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 1 of 1 for "**Johnson counter**" "**dual delay line**". (0.53 seconds)

Tip: Try removing quotes from your search to get more results.

Sponsored Links

[\[PDF\] The design and analysis of the clock distribution network for a ...](#)

File Format: PDF/Adobe Acrobat

The **dual delay line** configuration. allows. the DLLs to exhibit. a wide dynamic range ... 8-stage **Johnson counter** reduces. the thermometer code update rate ...

ieeexplore.ieee.org/iel5/7284/19686/00912693.pdf?arnumber=912693 -


[Similar pages](#)

High Speed Delay Line

We offer the ultra-fast & compact **delay line** in the market today
www.elmectech.com

Delay Lines

Manufacturers of **Delay Lines**. Stock & custom parts for all applications
<http://www.pca.com>



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Resources](#) - [About Google](#)

©2005 Google



Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((dual delay<in>metadata) <and> (quadrature<in>metadata))"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail printer

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin search.

Indexed by

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights

Application
Number

SEARCH

IDS Flag Clearance for Application 09865409



Content	Mailroom Date	Entry Number	IDS Review	Reviewer
M844	08-26-2003	8	<input checked="" type="checkbox"/>	09-10-2003 14:22:11 dwendemagegeh
M844	05-31-2005	27	<input checked="" type="checkbox"/>	06-08-2005 09:40:42 dsavoy

UPDATE